

District Education Office, Deogarh
At/Po-New Baliroi, Deogarh, Pin-768108

Letter No: /DSS/2025 1334

Date: 21/ 03 /2025

NOTICE INVITING TENDER (NIT)

TENDER FOR PROCRUMENT OF FURNITURE FOR ODISHA ADARSHA VIDYALAYA

Sealed quotations are invited from registered Authorized Dealers/Firm /agencies for supply of furniture for different Odisha Adarsha Vidyalaya of Deogarh District .

Name of Tender	Bid Processing Fees	Amount EMD	Last Date & time of receipt of Bid	Date & time of opening of Bid
<u>Furniture</u> (Dual Desk, Class Room Table, Class room Chair, Common Room Table, Common Room Chair, Almirah, Visitors Chair, Library Table , Library Almirah, Library Chair, MDM Table)	Rs.2,000/-	Rs.63,000/-	28.03.2025	29.03.2025

The detailed BID document is available in the district website www.deogarh.odisha.gov.in The interested and eligible Authorized Dealers /Firm /agencies may download BID Document from the above website and apply .Corrigendum / addendum ,if required will be uploaded in the above web site. Hence, potential bidders are requested to be in continuous touch with the above website. Bidders have to submit to different two (2) bid separately.

The authority reserves the right to amend, alter or cancel any part or all the quotations at any stage without assigning any reason thereof. The black listed /defaulter firms /agencies shall not be allowed to participate. Tender inviting authority (TIA) has right to reject the bid applications if form not fill up properly as per requirement.


21/3/25
District Education Officer
Deogarh


Collector & District Magistrate,
Deogarh 21/3/25

Standard Bidding Document

FOR

SUPPLY OF FURNITURE

Notice Inviting Tender No. 1335 /Dated . 21/03/2025

**DISTRICT EDUCATION OFFICE
DEOGARH**

CONTENTS OF BID DOCUMENT

Sl No.	Description of contents	Page Number
1.	Important information to the Bidders	1
2.	Bid Document: Scope of work and general instructions for Bidders.	2 -5
3.	Application-Technical Bid	6-9
4.	Application-Financial Bid	10-11
5	Bank Guarantee Format for Furnishing EMD	12
6	Performance Bank Guarantee Format	13
7	Format X (Furniture Specification)	14-25

Important Information to the Bidder

Page - 01

Sl. no.	Particulars	Details
1	Tender Inviting Authority (TIA)	Office of the District Education Office Deogarh.
2	Availability of Bid Document	www.deogarh.odisha.gov.in
3	Date of Issue of the Bid	21.03.2025
4	Last Date and time of receipt of the Bid only through the drop Box kept in the chamber of DSS at District Education Office, Deogarh / By Hand only	28.03.2025 4 pm
5	Date & time for opening of Technical BID	29-03-2025 11.00 am
6	Date of opening of Financial Bid	Will be declared on the date of opening of technical bid on the same day.
7	Bid Processing Fee (Non-Refundable) for procurement of Furniture	Rs. 2,000/- (Rupees one thousand Only) for in shape of DD /Banker's Cheque drawn in any nationalized bank in favour of District Education Officer, Deogarh payable at Deogarh which will be annexed with the Technical Bid.
8	Earnest Money Deposit (EMD) (Refundable without interest) for procurement of Furniture	@ 2% of total estimated cost, Rs 63,000/- in shape of Banker Cheque / Demand Draft / Bank Guarantee in favour of District Education Officer, Deogarh payable at Deogarh.
9	Address & mode of submission of proposal.	O/o The District Education Office, Deogarh, At/Po- New Baliroi, Pin-768108, Odisha. Mode of Submission: in the Drop Box kept in the chamber of DSS at District Education Office, Deogarh / By Hand only to the address as specified above during the office hour only). Submission of proposal through other mode and late bid will be rejected.
10	Place of Opening of Proposal	O/o The Collector, Deogarh, At/Po- New Baliroi, Pin-768108, Odisha
11	Submission of Performance security & Signing of agreement	Performance security @ 5% of tender value within 3 days of issue of work order

BID DOCUMENT

The District Education Officer, Deogarh invites bids from the reputed Authorized Dealers /Firm /agencies for supply of furniture for different Odisha Adarsha Vidyalaya of Deogarh District.

Scope of Work and general Instructions for Bidders

1. Eligibility Criteria :

The firms /agencies must have:

- (a) Valid Aadhar Udyog Registration
- (b) Valid PAN
- (c) Valid GST Registration Certificate.

2. Application Procedure:

- (a) The Bid has been invited under two bid system i.e. **Technical Bid and Financial Bid**. The interested bidders are advised to submit two separate sealed envelopes super scribed "**Technical Bid for supply of furniture & Financial Bid for supply of furniture**". Both sealed envelopes should be kept in another sealed envelope super scribed "**Tender for supply of furniture**".

(b) **Technical Bid & Financial Bid.**

The Bidder has to fill up the Technical bid Form (**Tech-1, Tech-2, Tech-3, Tech-04**) & submit it with a separate envelope with all self-attested documents / papers as mentioned in para-2 (f). Similarly, the Financial Bid form has to be filled up as per prescribed form (**Fin-1 & Fin-2**) and to be submitted in separate sealed envelope. The bidder is to quote **per unit** in the prescribed format (**FIN-2**). All materials must be Godrej company.

The tender should be addressed to O/o the District Education Office ,Deogarh, At/Po-Deogarh ,Dist-Deogarh, Pin- 768108 ".

- (c) The Bid document shall be available in website www.deogarh.odisha.gov.in and the cost of the tender paper is to be enclosed in shape of crossed Demand Draft / banker's Cheque / in favour of "District Education Officer, Deogarh" payable at Deogarh along with the **Technical BID**.

- (d) **Earnest Money Deposit (EMD):** The bidder is to submit EMD amounting to **Rs.63.000/- (Sixty Three Thousand only)**. The EMD (refundable - without interest), may be submitted in shape of Demand Draft / Banker's cheque/ Bank Guarantee (**Format A**) from any Nationalized or scheduled bank drawn in favour of District Education Officer, Deogarh Payable at Deogarh, failing which the tender shall be rejected summarily. In case of bank guarantee, it should be valid up to at least 90 days beyond the date of opening of Financial bid. The EMD of the un-successful bidders shall be refunded within 30 days after award of contract. The EMD shall be forfeited in the event of withdrawal of the tender once submitted OR in case of a successful bidder who (i) fails to execute the agreement within specified period & (ii) not submitted performance security and/or express its inability to supply the finished material within the stipulated period. The EMD of successful bidder shall be refunded after receipt of Performance security.

- (e) The interested Bidders are to enclose self-attested photocopies of the following valid documents /papers **in the Technical Bid envelope**. The proposal submitted without the following documents/papers shall not be considered.

1. Valid Aadhar Udyog Registration
2. Valid PAN & IT return filed for last 03 financial years (2023-2024 ,2022-2023,2021-2022)
2. valid GST Registration & up to date clearance Certificate
3. DD/Bankers Cheque amounting to Rs.2000/- as bid processing fee.
4. EMD in shape of Demand Draft / Bankers Cheque / Bank Guarantee
5. Duly filled in, signed & sealed Tech-1,Tech-2,Tech-3 & Tech-4 formats
6. Duly filled in, signed & sealed Fin-1 & Fin-2 formats
7. All materials must be Godrej Company
8. The Bidder who meets the requirements specified in the Technical Bid will only be considered for participating in the Financial Bid. Financial Bid of the technically disqualified bidders will not be considered & opened

3. Submission & opening of Tender:

- (a) The interested Bidders may submit the tender document complete in all respects along with EMD, bid processing fee and other requisite documents on or before **28.03.2025 before 4.00 PM (in all working days)** addressed to District Education Officer ,Deogarh, At/Po- Deogarh ,Dist-Deogarh, Pin- 768108 " **in the Drop Box kept in the chamber of DSS at District Education Office, Deogarh / By Hand only**. The Authority is not responsible for any postal delay. No other mode of submission of bid shall be entertained.
- (b) **Late Bidders:** Any bid received by the authority after the prescribed time and dateline for submission of bids will not be considered and opened .Thus the same is deemed to be rejected
- (a) The Technical bids shall be opened on the scheduled date and time at the O/O Collector, Deogarh in the presence of the representatives of the bidders, if any, who wish to be present on the spot at that time.

4. Specifications :

- (a) Detail specification of the items is mentioned at **Annexure- X**

5. Evaluation of BID:

- (a) The selection Committee of the District Project Office will evaluate the Technical & Financial BID. The Bidder who meets the requirements specified in the Technical Bid will only be considered for participating in the Financial Bid. Financial Bid of the technically disqualified bidders will not be opened.
- (b) The technically qualified bidder quoting lowest price in the financial bid shall be considered for award of contract.

6. Acceptance or Rejection of the Bids:

- (a) The authority reserves the right to accept / reject any / all bids / cancel the entire selection process at any stage without assigning any reason thereof. No claim, whatsoever, shall be admissible for the alleged loss/damage suffered by the bidder/s on account of such rejections.
- (b) Any bid with incomplete information is liable for rejection.

7. Award of Contract :

The contract will be awarded to the Bidder/s substantially responsive to the Bid document & offered lowest evaluated cost.

8. Signing of Contract :

- (a) The successful bidder/s whose bid has been accepted will sign an agreement with the District Education Officer, Deogarh.
- (b) Failure by the bidder to comply with the requirement of above mentioned clause, the offer shall be rejected and the bidder shall have no claim further.

9. Performance Security Deposit:

The selected bidder shall have to submit Performance Security Deposit of 5% of contract value in shape of bank draft / Bank Guarantee (BG) drawn on any Nationalized / Scheduled Bank in favour of the "District Education Officer, Deogarh payable at Deogarh only on the day of agreement. In case of BG, the same shall be as per the **FORMAT-B** & its validity will be at least 30 days from the date of expiry of defect liability period.

10. Requirement & Delivery Schedule :

The selected firm shall supply **Furniture (Dual Desk, Class Room Table, Class room Chair, Common Room Table, Common Room Chair, Almirah, Visitors Chair, Library Table, Library Almirah, Library Chair, MDM Table) within 10 days from the date of issue of the work order.** The delivery will be made at different Odisha Adarsha Vidyalaya of different Block..

11. Payment terms:

- (i) **On completion of delivery at different Odisha Adarsha Vidyalaya of different Block:**
Payment will be made after receipt of the required reports / Papers/ documents as under:
 - a. Challans towards satisfactory completion of supply of quantity to concerned **Odisha Adarsha Vidyalaya** point as per supply order.
 - b. On fulfillment of conditions of the agreement.
 - c. Four self-inking carbon copies of the GSTIN invoice as well as bank details for payment purpose..
 - d) No advance payment shall be made, or no payment shall be entertained on negotiation through Bank.
 - e) Deduction of tax at source shall be made at the appropriate rate as per prevailing law.

12. Penalty :

- (a) If the work is delayed for any reason for which the Tender Inviting Authority (TIA) is not responsible, penalty @ 0.5 % per week or part thereof on the total cost maximum up to 10% of the contract value will be imposed on the firm under orders of appropriate Authority. The TIA reserves the right to forfeit the Performance Security & debar the bidder from participating in any other bid of his/her office. In such cases the TIA may write Govt. for blacklisting the firm.

13. Amendments to BID terms ,conditions and issue of Corrigendum / addendum:

- (a) The last date of submission of Bids, the authority may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder/s, modify the Bidding Documents by amendment /corrigendum.
 - (b) The amendment in shape of corrigendum / addendum will be notified on the websites www.deogarh.odisha.gov.in and the prospective bidder/s are requested to take cognizance of such notification/s while submitting their tender proposal.
 - (c) In order to allow prospective Bidder/s reasonable time in which to take the amendment into account in preparing their bid, the authority may, at its discretion, extend the deadline for the submission of bids.
14. Only one tender should be submitted by one party. Submission of more than one tender will lead to rejection of all proposal of the bidder.
 15. The bidder/s may use separate piece of paper, where the space provided in the formats in this tender document for submission of information, is not sufficient. The information in the separate sheet of paper shall be in prescribed format and its page should be serially numbered and duly authenticated.
 16. No document as required and mentioned in the Bid shall be submitted in the Technical bid / Financial bid documents unless otherwise specifically mentioned therein. All required documents shall be serial number and page mark.
 17. The bid validity period is 90 days from the date of opening of the Financial bid. Accordingly the bidder shall submit the Bid.
 18. The authority reserves the right to reject any or all the bids without assigning any reason thereof. The authority also reserves the right to modify any term in the bid document at the time of execution of contract, if felt necessary.
 19. **Resolution of Disputes:**
 - (a) Any dispute between the Tender Inviting Authority and the successful bidder/s should be addressed to the other party only in writing in their respective letter heads signed only by the designated signatories as in contract agreement. Both the parties shall make every effort to resolve the same amicably by mutual consultations.
 - (b) If both the parties fail to resolve their dispute or difference by such mutual consultation within twenty-one days of its occurrence, the same will be referred to by either party for conciliation to the conciliation panel. For that purpose, both the parties, shall nominate each one member, and both the nominated members shall form the Conciliation panel. In case the panel members report failure of conciliation, the matter shall be referred to arbitration, by the Arbitrator, to be nominated by the Collector, Deogarh. The Collector shall nominate an Arbitrator, whenever required or when a request is made by the successful bidder/s, after the failure of conciliation, to nominate an Arbitrator. The arbitration proceeding shall be as per the provisions of the Arbitration and Conciliation Act 1996 of India..

22.Applicable Law and Jurisdiction of Courts:

- (a) The Contract shall be governed by and interpreted in accordance with the existing law of India in force.
- (b) All disputes relating to the contract is subject to the pecuniary jurisdiction of the Court at Deogarh.


 District Education Officer
 Deogarh

COVERING LETTER**(ON BIDDER/S'S LETTER HEAD)****To****The District Education Officer,
Deogarh****Subject : Supply of Furniture for Odisha Adarsha Vidyalaya**

Madam/Sir,

I/We, the undersigned, request you to participate in the selection process towards **Supply of Furniture in** accordance with your Tender Call Notice No _____ dated _____. I/We are hereby submitting our proposal, which includes Technical Bid and Financial Bid separately..

I/We, hereby declare that all the information and statements made in this Technical BID are true and correct and I accept that any misinterpretation contained in it may lead to disqualification of our Bid. Our Bid will be valid for acceptance up to **90 Days** from the date of opening of the financial BID and I confirm that this proposal will remain binding upon us and may be accepted by you at any time before this expiry date.

I/We, hereby unconditionally undertake to accept all the terms and conditions as stipulated in the BID document. In case any provision of this BID document are found violated, then TIA shall without prejudice to any other right or remedy be at liberty to reject our Bid including legal action as per law.

I/We remain,

Yours faithfully,

Place:

Date:

BIDDER/S'S OFFICIAL SIGNATORY

Name & Designation with Rubber Stamp

Bidder/s's Organisation (General Details)

SI No.	Description	Full Details
1	Name of the Bidder/s	
2	Address for Communication Tel : Fax: Email id :	
3	Name of the authorized person signing & submitting the bid on behalf of the Bidder/s: Mobile No. : Email id :	
4	Registration / Incorporation Details Registration No: Date & Year. :	
5	Local office in Deogarh If Yes, Please furnish contact details	
6	Bid processing fee Details Amount :Rs. _____/-	
7	EMD details	
8	GSTIN	
9	PAN	
10	Confirm to carry out assignments as per the scope of work of the Bid Document	
11	Confirm to accept all the terms and conditions as specified in the Bid Document	

Place:

Date:

BIDDER/S'S OFFICIAL SIGNATORY

Name & Designation with Rubber Stamp

Check list of documents & Items to be enclosed with Technical Bid

Sl. No	Nature and Type of Document/Items	Whether enclosed (with page reference)	
		Yes / No	Page no.
1	Valid Aadhar Udyog Registration of the firm		
3	valid PAN		
4	valid GST Registration & up to date clearance Certificate		
5	Filed Income Tax Return for the Financial Year 2020-21,2021-22 2022-23i.e Assessment Year 2023-24, , 2022-23.,2021-22		
6	DD/Banker's cheque amounting to Rs.____/- as bid processing fee		
7	EMD in shape of Demand Draft / Banker's cheque / Bank Guarantee		
8	Duly filled in, signed &sealed Tech-1,Tech-2,Tech-3 & Tech-4 formats.		
9	Sample		

Place:

BIDDER/S'S OFFICIAL SIGNATORY

Date:

Name & Designation with Rubber Stamp/
Official Seal of the Firm.

(In Bidder's letter Head)

(ON BIDDER/S'S LETTER HEAD)

To

The District Education Officer,
Deogarh

Undertaking / Declaration

1. I, _____ Son / Daughter / Wife of Shri
Proprietor / Director/ Authorized
Signatory of the bidder, mentioned above, am competent to sign this declaration and execute this bid document;
2. I/we have carefully read and understood all the terms and conditions of the BID document and undertake to abide by them.
3. The information / documents furnished along with the above application are true and authentic to the best of my knowledge and belief. I /We, am / are well aware of the fact that furnishing of any false information / fabricated document would lead to rejection of my BID at any stage besides liabilities towards prosecution under appropriate law.
4. I/we also certify that our firm has not been blacklisted / debarred / banned by any State Govt. / UT / Central Govt. /Govt. organization / Govt. Institution / PSU / Govt. run autonomous body, Society and or convicted by any court of law due to (a) Service or quality supplied (b) submission of fake or forged documents (c) submission of incorrect information/ suppression of vital information and facts / misrepresentation of quality certificates (d) non-performance or non-supply (e) any other reasons.
5. This is also certified that neither my-self nor my organization will be indulged in any corrupt practices so far as this bidding is concerned.

Authorized Signatory [In full and initials]

Name and Designation of Signatory with Date and Seal:

Address of the Bidder

COVERING LETTER
(In Bidder's Letter Head)

To

The District Education Officer,
Deogarh

Subject: Supply of Furniture for Odisha Adarsha Vidyalaya-FINANCIAL PROPOSAL

Madam/Sir

I, the undersigned, offer to: supply Teaching Learning Materials in accordance with your Tender Call Notice No. _____, Dated: _____. Our attached Financial Proposal is for the sum of Rs. _____
[Insert amount(s) in words and figures*].

The quoted rate is inclusive of transportation cost & delivery of the complete material at School point. I do hereby undertake that, in the event of acceptance of our bid, the supply shall be made in respect to the terms and conditions as stipulated in the BID document.

Our financial proposal shall be binding upon us subject to the modifications resulting from contract negotiations, up to expiration of the validity period of the proposal of <90.> days from the date of opening of the Financial bid.. I have carefully read and understood the terms and conditions of the Bid document and do hereby undertake to provide the article accordingly.

I understand that you are not bound to accept any proposal you receive.

I remain,

Yours faithfully,

Authorized Signatory [In full and initials]

Name and Designation of Signatory with Date and Seal:

Address of the Bidder :

FIN-2**Application of Financial Bid**

Sl.No	Specification of Item with brand	For OAV Budhapal	For OAV BHQ, Tileibani	For OAV, Barkote	Total Quantity	Quoted rate per unit including GST charges
1	Dual Desk (Godrej)	20	0	40	60	
2	Class room Table (Godrej)	10	10	14	34	
3	Class room Chair (Godrej)	10	10	14	34	
4	Common room Table (Godrej)	3	3	2	8	
5	Common Room Chair (Godrej)	6	6	8	20	
6	Common Room Almirah(Godrej)	1	1	2	4	
7	Principal Almirah(Godrej)	1	1	0	2	
8	Visitor's Chair(Godrej)	4	4	4	12	
9	Office Room Almirah(Godrej)	1	1	1	3	
10	Library Table (Godrej)	5	5	0	10	
11	Library Chair (Godrej)	4	4	0	8	
12	Library Almirah (Godrej)	3	3	2	8	
13	MDM Table(Godrej)	12	12	12	36	
Transportation Cost towards delivery of materials at School Points						Rs.

- All items should fulfill the criteria / specification.

GST Number:

PAN No.

Dealer's Regd. if any:

Date.

Seal & Sign. Of Tenderer

Signature of the Tenderer
With date and seal

Bank Guarantee Format for Furnishing EMD

To,

The District Education Officer ,Deogarh

WHEREAS _____ (Name and address of the tenderer) (hereinafter called "the Tenderer") has submitted their offer dated _____ for supply Teaching Learning Materials against the purchaser's Notice inviting tender No _____ dated _____

know all mean by these presents that We..... of..... having our registered office at..... (hereinafter called the "Bank") are bound unto the District Project Coordinator Samagra Shiksha _____ (hereinafter called "purchaser") in the sum of **Rs.** _____/- for which payment will and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents.

Sealed with the Common Seal of the said Bank this..... day of.....

THE CONDITIONS OF THIS OBLIGATION ARE:

1. If the Tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this Tender.
2. If the tenderer having been notified of the acceptance of its tender by the Purchaser during the period of its validity :-
 - a) If the tenderer fails to furnish the performance security for the due performance of the contract
 - b) Fails or refuses to accept / execute the Contract.

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser have to substantiate its demand, provided that, in it's demand the purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to _____ and including 30 days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

Our _____ *branch at _____ (name and address of the _____ *branch) is liable to pay the guaranteed amount depending on the filing of claim and any part thereof under this bank guarantee only and only if you serve upon us at our _____ *branch. A written claim or demand and received by us at our _____ * branch on or before dated _____ otherwise bank shall be discharged of all liabilities under this guarantee thereafter.

(Signature of the authorized officer of the Bank)

(Name & designation of the officer)

Seal, name, date & address of the bank and address of the branch

PERFORMANCE BANK GUARANTEE FORMAT

To,

The District Education Officer ,Deogarh

WHEREAS _____ (Name and address of the supplier) (hereinafter called "the supplier") has undertaken, in pursuance of contract No_ dated _____ for supply Teaching Learning Materials (herein after called "the contract").

AND WHEREAS it has been stipulated by you in the said contract that _____ the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the Consultant, up to a total of _____ (amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the consultant to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified there in.

We hereby waive the necessity of your demanding the said debt from the consultant before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the consultant shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This performance bank guarantee shall be valid until the _____ day of _____, <Year>

Our branch at * _____ (Name & Address of the Bank) is liable to pay the guaranteed amount depending on the filing of claim and any part thereof under this Bank Guarantee only and only if you serve upon us at our _____*branch a written claim or demand and received by us at our _____*branch on or before Dt. _____. Otherwise bank shall be discharged of all liabilities under this guarantee thereafter.

.....
(Signature of the authorized officer of the Bank)

Name and designation of the officer

.....
Seal, name & address of the Bank & Branch


FURNITURE & EQUIPMENTS FOR ACADEMIC BUILDING:

Furniture Details :

(1) Academic Building:

Comprising of – (a) Double seated Student desk, (b) Teachers Chair & table, (c) Principals Chair & Table, (d) Common Room Chair & table, (e) Visitors chair, (f) Library Furniture, (g) MDM Dinning Set.

1. **Dual Desk** for Students in Class Rooms: (SIZE - 1100W x 895D x 750H) in mm



Specification

Material of Desk Top-18 mm thick pre-laminated Particle Board of E1-P2 grade, Material of Support Structure or Side Pannel-25.4 mm X 1.2 mm thick round ERW tubes - 31.8 mm X 1.2 mm thick round ERW tubes and 28.6 mm X 1.2 mm thick round ERW tubes (As per IS : 7138/ Latest) welded together and hooks of 2 mm thick MS sheet with duly epoxy polyester powder coated min 40 - 45 microns thickness, Height of Desk Top in mm:707,Width of Desk Top in mm:1100,Depth of Desk Top in mm-330,TYPE OF DESKING-INTEGRATED DESK CUM SEATING WITH SHELF / STORAGE UNDER DESK, Desking Configuration-TWO SEATER, Length of Desking, Seating and Backrest (if provided) in mm: 1100, Material of Seat and Backrest:18 mm thick pre-laminated Particle Board of E1-P2 grade, Material of Support Structure: Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum, Material of Seat Cushion: WITHOUT CUSHION, Width of Seating in mm-1100, Height of Seat in mm-427. Width of backrest in mm - 1100Back Support for Seating of Same materail as Seating-Provided without cushion, Desk top finishing-All sides Edge to be banded with PVC tape of 2 mm thick with help of hot melt glue, **Color-Top Blue, Top Boarder-white**. OEM of offered product is ISO 9001:2015,ISO 14001:2015,ISO 18001:2007/ISO 45001:2018, GREENGUARD, Indoor Advantage Gold, GREEN : PRO, certified. Colour: As per OAV colour.

2. Chair for Teachers in Classroom & Common room and Principal:



Chair Type: Non Revolving and Non Tilting Chair with Armrest. Chair Frame Type: Cantilever, Armrest type: Continuous armrest, Seat type: Padded. Backrest type: Padded. Frame Material Configuration: One piece. Frame Material: Steel Tube (ERW quality) conforming to IS:1161, Seat materials: Moulded Plywood, Seat material thickness:20mm. GSM of seat Cover:390GSM. Backrest material: Moulded plywood, Backrest upholstered with Leatherette. Seat Depth:390mm, Seat Width:460mm, Seat height from floor to seat:300mm, Paint Type:Epoxy. Seat Fitted : Over flat size in depth-wise of the frame on both sides with minimum 3 screws., Backrest Fitted: By round head screws 3 nos on each side. Armrest Fitted: With round steel screws 3 Nos. (minimum) on each side. Frame Material Configuration - One piece. Frame material-Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment), The shape of tubular section of frame-Round, Section Size (Diameter/Sides) of frame-25 mm, Frame section wall thickness-2 mm, armrest material-Injection moulded Polypropylene, Armrest material thickness-20 mm, Armrest Padded with-NA, Armrest upholstered with-NA, OEM of offered product is ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 certified.


3. Class room Tables for teachers: 900Wx600Dx750H in mm



Storage: one side, Total Number of Storage Units: single storage, Table Top Material and Thickness: 18 mm thick prelaminated Particle Board, Pedestal (Under structure): Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm, Table Top Length: 900 millimeter, Table Top Width: 600 millimeter, Table Height: 750 millimeter, Storage Unit and Drawer Units Material: 0.6 mm M S Sheet, Depth of Storage Unit: 550 millimeter, Width of Locker / Cupboard type Storage unit: 355 mm, Depth of Locker / Cupboard type Storage

unit:560MM,Loading capacity of table top in KG :100KG,Foot Rest Provided:YES,Paint:Powder Coated,OEM of offered product is ISO 9001:2015,ISO 14001:2015,ISO 18001:2007/ISO 45001:2018 certified.


- (I) **Table for Principal: 5026 + ERU 3616+Free Standing Ped with Castors for Finesse Table.**



Finesse Table - 5026 size shall be 1500 Width mm x 750 Depth mm x 740 Height mm .Table top shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate (bdl) .Flat edge Duly sealed with 2 mm thick PVC beading. The modesty shall be 18 mm thick plain particle board () PPB Clad with 1.0 mm thick decorative laminate (DL) on both sides. Edge Sealed with 2 mm thick PVC beading.

Finesse ERU -3616 LHS size shall be 1050 Width x 450 Depth x 705 Height. The top of Finesse ERU -3616 LHS shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick Backing Laminate (BDL).Flat Edge duly sealed with 2 mm thick PVC beading. The Modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick Decorative Laminate (DL) on both sides. Edge sealed with 2 mm thick PVC Beading.

Overall Dimensions of Free Standing Ped With Castors For Finesse Table shall be 390mm(W)x440mm(D)x646mm(H). The construction & Material used shall be welded assembled, 0.8 mm thick CRCA for body shell , drawer front & tray , front side stiffener ,rear aide stiffener and 1.2 mm thick CRCA Top stiffener & Bottom stoffener . The drawer fronts shall be metal front straight edge. Locking shall be 10 lever cam lock & Central RH locking with actuator & lock channel mechanism for box-box-file Pedestal . The top panel shall be metal straight edge top. Castor should be swiveling non - lockable castors mounted below the body shell for free standing full height mobile pedestal and M8 Leveling stud for free standing pedestal . The anti-tipping mechanism shall have fifth roller arrangement mounted




TOP WORKSURFACE-The panels are made from 18 mm thk pre-laminated boards as per with 2mm thick PVC Edge banding on all sides.UNDERSTRUCTURE - C-FRAME- Made from 0.9mm thk powder coated 50microns CRCA MS. TUBULAR FRAME - Dia 25.4mm x 1.2mm Thk MS ERW tube. Modesty Panel - Made from 1.0mm thk powder coated 50microns CRCA MS. STORAGE - Shell:0.6mm thk CRCA,Drawer Tray & back:0.5mm thk CRCA,Drawer Front:0.6mm thk CRCA,Lock:Cam Lock. Handles:Plastic Handle. 3 drawer - DUN-8- (Size - 355.5Wx559Dx452H) in mm. Storage - One Side. Total Number of Storage Units:triple Storage.Loading Capacity of table top in KG:100KG,Product is certified-ISO-9001:2015,ISO 14001:2015,ISO 18001:2007/ISO 45001:2018. Warranty:1 year.



below file drawer to avoid toppling of unit when file drawer is pulled out . Partition in drawer shall be 1 no. Partition in box drawers with lock mounted . Plastic pencil tray shall be optional accessory. Finish shall be epoxy polyester powder coated to the thickness of 50 microns . Application shall be suitable for pushing below work surface which has got a clear height of 725 mm from below . For drawer pulling side wise tapered recess provided in shell behind drawer fronts.

(II) **Specification of Principal Chair:**



seat/back assembly: the seat should be made up of 1.2 ± 0.1 cm thk. hot pressed plywood ocp-qlta-pl14-18. The back should be made up of injection moulded glass filled nylon & upholstered using net fabric with high tenacity yarn.

seat size: 47.0 cm. (w) x 51.5 cm. (d) back size :45.0 cm. (w) x 65.3 cm. (h)high resilience (hr) polyurethane foam: the hr polyurethane foam should be moulded with density $=55 \pm 2$ kg/m³ and hardness 16 ± 2 kgf for 25% compression. armrests : the armrests have an up-down adjustment of 8.5 ± 0.5 cm which should be provided in armrest structure. armrest top has an integrated layer of thermoplastic elastomer (tpe).

lumbar support assembly: the lumbar support cons should be ts of polypropylene pad with moulded polyurethane foam & covered with polyester fabric. the height of lumbar pad can be adjusted through two projecting knobs provided on the rear side of the pad. lumbar pad has an adjustment of 8.0 ± 0.5 cm in height.

front pivot synchro mechanism: the adjustable tilting mechanism should be designed with the following features.


- 360° revolving type.
- single point control.
- front-pivot for tilt with feet resting on ground ensuring more comfort.
- tilt tension adjustment.
- 4-position locking with anti-shock feature.
- seat/back tilting ratio of 1:2.

pneumatic height adjustment: the pneumatic height adjustment has an adjustment stroke of 10.0 ± 0.3 cm.

pedestal assembly: the pedestal should be injection moulded in black 30% glass-filled nylon and fitted with 5 nos. twin wheel castors. the pedestal pitch-center dia should be $\varnothing 66.1 \pm 0.5$ cm (76.1 ± 1.0 cm. with castors).twin wheel castors: the twin wheel castors should be injection moulded in black nylon. SEAT SIZE: 47.0 cm. (W) x 51.5 cm. (D) BACK SIZE:

45.0 cm. (W) x 65.3 cm. (H)

(III) **Specification of Common Room table for teacher:**



Material of Table Top: Three Layer Prelaminated Particle Boards Of Grade-II Type-II Of IS:12823/Latest. Material of Legs: Material of Modesty Panel N.A, Thickness of Metal Sheet / MDF Board used for modesty panel (in mm) +/- 5% NA MS pipe of 75 mm width and 25 mm thick. Seating: Capacity 6 SEATER, Shape of Table Top: Rectangular, Wire Management: Without, Number of socket box :0, In Built Sockets for LAN / Internet: No, Type of Socket Box: No Socket Box, Wire entry System: N.A, Type of understructure: Leg type, Number of Legs per Seat :4, Leg Top Attachment: Powder coated MS plate of thickness 3.0 mm, Leg Bottom Attachment: N.A, Leg assembled together with guide at bottom: NA, At Top Leg assembled together with: 3 mm thick M S sheet powder coated, Modesty panel: N.A, Length in mm (Select NA in case of Round Table) ± 10 (mm): 1850, Width in mm (Diameter in case of Round Table) ± 10 (mm) :900, Height in mm (± 5 mm): 750 mm, Thickness of Top ± 2 (mm): 25 millimeter, Height of Modesty Panel ± 5 (mm): NA, Colour of Laminate: teak, Packing: Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap, OEM of offered product is ISO 9001:2015, ISO 14001:2015, ISO 18001:2007/ISO 45001:2018, GREENGUARD, certified.

(IV) Specification of Common Room Chair for teacher



1. SEAT/BACK (CAFÉ/ARM/DESKLET/LOUNGE): The Seat and back are made up of injection moulded high impact strength polypropylene polymer compound with indoor grade UV resistance (Refer colour chart in product catalog)
 - SEAT SIZE : 52.5cm. (W) x 53.2cm.(D)
 - BACK SIZE : 51.6cm.(W) x40.5 cm.(H)
2. M.S UNDERSTRUCTURE OPTION FOR CAFÉ CHAIR : The Powder coated tubular welded frame is made from Dia 2.22 + 0.03 cm x 0.12 + 0.0128 cm and 3.5 + 0.03 cm X 1.5 +0.03 cm x 0.12 + 0.0128 cm. M.S E.R.W. tube.
3. SHOE: The shoes are made of high impact strength polypropylene polymer compound with indoor grade UV resistance and pressed fitted with tubular frame.

4. UPHOLSTERY An upholstery cover can be retro filled on to seat and back. The seat cover is made from High abrasion resistance fabric with from lamination and 2.5 cm PU Foam insert. The back cover I made from High abrasion resistance fabric with foam lamination and 0.1 cm PU Foam insert. Product will be certified - GREENPRO, GREENGUARD, INDOOR ADVANTAGE GOLD.GRIHA.

(V) **Specification of Library Chair**



SEAT/BACK (CAFÉ/ARM/DESKLET/LOUNGE): The Seat and back are made up of injection moulded high impact strength polypropylene polymer compound with indoor grade UV resistance (Refer colour chart in product catalog)


- SEAT SIZE : 52.5cm. (W) x 53.2cm.(D)
- BACK SIZE : 51.6cm.(W) x 40.5 cm.(H)

2. M.S UNDERSTRUCTURE OPTION FOR CAFÉ CHAIR : The Powder coated tubular welded frame is made from Dia 2.22 + 0.03 cm x 0.12 + 0.0128 cm and 3.5 + 0.03 cm X 1.5 + 0.03 cm x 0.12 + 0.0128 cm. M.S E.R.W. tube.

3. SHOE: The shoes are made of high impact strength polypropylene polymer compound with indoor grade UV resistance and pressed fitted with tubular frame.

4. UPHOLSTERY An upholstery cover can be retro filled on to seat and back. The seat cover is made from High abrasion resistance fabric with from lamination and 2.5 cm PU Foam insert. The back cover I made from High abrasion resistance fabric with foam lamination and 0.1 cm PU Foam insert. Product will be certified - GREENPRO, GREENGUARD, INDOOR ADVANTAGE GOLD.GRIHA.


(VI) **Specification of Library table:**



Material of Table Top: Three Layer Prelaminated Particle Boards Of Grade-II Type-II Of IS:12823/Latest. Material of Legs: Material of Modesty Panel N.A, Thickness of Metal Sheet / MDF Board used for modesty panel (in mm) +/- 5% NA MS pipe of 75 mm width and 25 mm thick. Seating: Capacity 6 SEATER, Shape of Table Top: Rectangular, Wire Management: Without, Number of socket box : 0, In Built Sockets for


LAN / Internet: No, Type of Socket Box: No Socket Box, Wire entry System: N.A, Type of understructure: Leg type, Number of Legs per Seat :4, Leg Top Attachment: Powder coated MS plate of thickness 3.0 mm, Leg Bottom Attachment: N.A, Leg assembled together with guide at bottom: NA, At Top Leg assembled together with: 3 mm thick M S sheet powder coated, Modesty panel: N.A, Length in mm (Select NA in case of Round Table) ± 10 (mm): 1850, Width in mm (Diameter in case of Round Table) ± 10 (mm) :900, Height in mm (± 5 mm): 750 mm, Thickness of Top ± 2 (mm): 25 millimeter, Height of Modesty Panel ± 5 (mm): NA, Colour of Laminate: teak, Packing: Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap, OEM of offered product is ISO 9001:2015, ISO 14001:2015, ISO 18001:2007/ISO 45001:2018, GREENGUARD, certified.

(VII) Specification of 08 seated SS Dining Set (For MDM)



- a) Stainless Steel Dining Table with robust structure of dimension 2800 X 900 X 750 mm with good stability.
- b) Top: - 25mm thick SS plate of good quality Steel section. The Vertical supports are SS material with levelled foot rest. The edges of Table Top is bevelled edges with proper fillet.
- c) The seating stools are SS material and attached folding type. The size of stool in minimum 600 mm diameter and the gap between 02 stools is minimum 250 mm.

(VIII) Specification of Steel wall Almirah:



Technical specification of Almirah steel Generally conforming to BIS specification IS: 3312:2021 (with latest amendment), Type of Almirah steel Almirah Steel wardrobe(having cloth hanging provision)

Construction type Welded, Installation Free standing, Pedestal Yes, Pedestal fitted with 3 mm Teflon Bush, Pedestal height (± 5 mm) 125 mm, Locker required Yes, Door type Hinged, Number of door 2, Number of hinges (for each door) 3, Door stiffener up to full door height provided Yes, Mirror fitted No mirror, Number of drawers required No Drawer, Shelves required Adjustable, Number of shelves 2, Uniformly distributed load (UDL) for shelves 60 Kgs. Wardrobe by style Full size, Tie Hanger No,


Colour of finish Prince Grey, Steel sheet material CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment), Sheet rounds and flats N.A, Screws Conforming to IS 1365, Hanging rod material Round ERW tube conforming to IS 7138, Mirror frame made out of (if provided) No mirror frame, Tie hanger made out of Mild steel sheets, Stiffener material MS sheet, Almirah height(excluding the height of pedestal) ± 5 mm 1980 mm, Almirah width ± 5 mm 910 mm, Almirah depth ± 5 mm 480 mm, Locker inside height ± 5 mm 200 mm, Locker inside width ± 5 mm Full size of almirah width, Locker inside depth ± 5 mm As per suitability of almirah depth, Drawer height N.A

Drawer width N.A, Drawer depth N.A, Mirror sizes N.A, Shelves lipped flange 35 mm, Side sheet thickness 0.8 mm, Back sheet thickness 0.8 mm, Top sheet thickness 0.8 mm, Bottom sheet thickness 0.8 mm, Shelves sheet thickness 0.8 mm, Shelves supporting bracket thickness 1.6 mm, Door metal stiffener thickness 0.8 mm, Pedestal sheet thickness 0.8 mm, Hinges sheet thickness 1.25 mm(double folded), locker door sheet thickness 0.9 mm, Drawer sheet thickness N.A, Hanging rod wall thickness 1.0 mm,

Hanging rod diameter ± 2 mm 20 mm, Steel Almirah lock/locker lock Six lever lock, Material of lock MAZAK Zinc plated, Duplicate keys (for each) Yes, Keys material (for each lock) Keys made of MAZAK/ZAMAK having nickel plated finish, Steel Almirah locking mechanism A three way bolting device controlled by a lock, Door handle material for almirah lock Zinc based alloy, Handle material for locker Zinc based alloy, Lockers locking mechanism Two way bolting system controlled by the lock

Drawer lock 4 levers lock, All the mild steel parts shall be given phosphating treatment Conforming to Class c of IS 3618, The process of application of phosphate coating Accordance with IS 6005, Powder coating With 50 micron thickness minimum, OEM of offered product is ISO 9001:2015, ISO 14001:2015, ISO 18001:2007/ISO 45001:2018, GREENGUARD, Indoor Advantage Gold, GREEN PRO, GRIHA certified Warrant: 1 year,

(IX) Specification of Glass wall Almirah:



Technical specification of Almirah steel: Generally conforming to BIS specification IS: 3312:2021 (with latest amendment), Type of Almirah steel: Almirah Steel with Glass door, Construction type: Welded, Installation: Free standing, Pedestal: Yes, Pedestal fitted with: 3 mm Teflon Bush, Pedestal height (± 5 mm) : 125 mm, Locker required: No, Door type: Hinged, Number of door: 2, Number of hinges (for each door) : 3, Door stiffener up to full door height provided: No, Mirror fitted: No mirror, Number of drawers required : No Drawer, Shelves required: Adjustable, Number of shelves 4, Uniformly distributed load (UDL) for shelves: 60 Kgs. Wardrobe by style: No wardrobe, Tie Hanger: No, Colour of finish: Silver Grey, Steel sheet material: CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment), Sheet rounds and flats: N.A, Screws: Conforming to IS 1365, Hanging rod material

:No hanging rod,Mirror frame made out of (if provided): No mirror frame,Tie hanger made out of :N.A,Stiffener material: No stiffener,Almirah height(excluding the height of pedestal) ± 5 mm: 1980 mm,Almirah width ± 5 mm: 920 mm,Almirah depth ± 5 mm: 490 mm,Locker inside height ± 5 mm :No locker,Locker inside width ± 5 mm: N.A,Locker inside depth ± 5 mm: N.A,Drawer height: N.A, Drawer width: N.A,Drawer depth: N.A,Mirror sizes :N.A,Shelves lipped flange: 35 mm,Side sheet thickness: 0.9 mm,Back sheet thickness: 0.8 mm,Top sheet thickness :0.9 mm,Bottom sheet thickness: 0.9 mm,Shelves sheet thickness: 0.7 mm,Shelves supporting bracket thickness: 1.6 mm,Door metal stiffener thickness: N.A,Pedestal sheet thickness: 0.8 mm,Hinges sheet thickness: 1.6 mm,locker door sheet thickness: N.A,Drawer sheet thickness N.A,Hanging rod wall thickness N.A,Hanging rod diameter ± 2 mm N.A,Mirror frame sheet thickness N.A,Mirror frame border width N.A,Tie hanger sheet thickness N.A,Width of stiffener N.A,Stiffener sheet thickness N.A,Number of glass sheet fixed: 4, Handle size :12 cm,Steel Almirah lock/locker lock :Six lever lock,Material of lock: Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle,

Duplicate keys (for each): Yes,Keys material (for each lock): Keys made of MAZAK/ZAMAK having nickel plated finish,Steel Almirah locking mechanism: A three way bolting device controlled by a lock,

Door handle material for almirah lock :Zinc based alloy,Powder coating Conforming to IS: 13871,OEM of offered product is ISO 9001:2015,ISO 14001:2015,ISO 18001:2007/ISO 45001:2018, GREENGUARD, Indoor Advantage Gold,GREEN PRO,GRIHA certified Warrant:1year

(X) **Specification of Visitor Chair:**



SEAT/BACK (CAFÉ/ARM/DESKLET/LOUNGE): The Seat and back are made up of injection moulded high impact strength polypropylene polymer

compound with indoor grade UV resistance (Refer colour chart in product catalog)

- SEAT SIZE : 52.5cm. (W) x 53.2cm.(D)

- BACK SIZE : 51.6cm.(W) x40.5 cm.(H)

2. M.S UNDERSTRUCTURE OPTION FOR CAFÉ CHAIR : The Powder coated tubular welded frame is made from Dia 2.22 + 0.03 cm x 0.12 + 0.0128 cm and 3.5 + 0.03 cm X 1.5 +0.03 cm x 0.12 + 0.0128 cm. M.S E.R.W. tube.

3. SHOE: The shoes are made of high impact strength polypropylene polymer compound with indoor grade UV resistance and pressed fitted with tubular frame.

4. UPHOLSTRY An upholstery cover can be retro filled on to seat and back. The seat cover is made from High abrasion resistance fabric with from lamination and 2.5 cm PU Foam insert. The back cover I made from High abrasion resistance fabric with foam lamination and 0.1 cm PU Foam insert. Product will be certified - GREENPRO, GREENGUARD,INDOOR ADVANTAGE GOLD.GRIHA.

(XI) Specification of Office Chair:



Chair Type: Non Revolving and Non Tilting Chair with Armrest.Chair Frame Type:Cantilever,Armrest type:Continuous armrest, Seat type:Padded. Backrest type: Padded. Frame Material Configuration:One piece. Frame Material: Steel Tube (ERW quality) conforming to IS:1161, Seat materials: Moulded Plywood,Seat material thickness:20mm. GSM of seat Cover:390GSM. Backrest material:Moulded plywood, Backrest upholstered with Leatherette. Seat Depth:390mm,Seat Width:460mm, Seat height from flom seat:300mm, Paint Type:Epoxy. Seat Fitted : Over flat size in depth-wish of the frame on both sides with minimum 3 screws.,Backrest Fitted:By round head screws 3 nos on each side. Armrest Fitted With round steel screws 3 Nos. (minimum) on each side Frame Material Configuration - One piece Frame material-Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment),The shape of tubular section of frame-Round Section Size (Diameter/Sides) of frame-25 mm Frame section wall thickness-2mm armrest material-Injection moulded Polypropylene Armrest material thickness-20 mm Armrest Padded with-NA,Armrest upholstered with-NA,OEM of offered product is ISO 9001:2015,ISO 14001:2015,ISO 45001:2018 certified.

(I) Specification of Office Table: (Size - 1199Wx590Dx735H) in mm