



OFFICE OF THE CDM& PHO-cum-DMD, DEOGARH
DISTRICT PROGRAMME MANAGEMENT UNIT (DPMU)
(Department of Health & Family Welfare, Govt. of Odisha)



Letter No. 1798 /NHM/IEC/

Date: 10-06-2026

To

The Director ,I&P.R Dept,Lok Sampark,Bhawan,Bhubaneswar
E-Mail:ipr.advt@gmail.com/iprnews@gmail.com

Sub: Publication of the advertisement.

Sir,

Please find herewith the specimen copy of the advertisement for publication of the same in two nos of widely circulated daily newspaper (One time) by sparing minimum space and provide the bill as per I&PR rate along with a copy of the supplement to this office within 7 days for payment.

This is for favour of your kind information and necessary action


Yours faithfully


CDM&PHO cum District Mission Director
NHM, Deogarh

Memo No. 1799 / 26

Date: 10-06-2026

1. Copy to the District E Governance Manager ,Collectorate Deogarh. for information with a request to publish the same along with the enclosers (enclosed herewith) in the district website of Deogarh district for information of the public for the above period.


CDM&PHO cum District Mission Director
NHM, Deogarh

ZILLA SWASTHYA SAMITI, DEOGARH

Office of the CDM&PHO- cum- Dist. Mission Director, Deogarh, Odisha, 768108

No. 1797 / NHM / IEC / 26

Dt: 10-06-2026

Tender Call Notice

Sealed tenders are invited from reputed registered firms/ agencies/ dealers having adequate experience in taking up the works of **printing of forms, Booklets, poster, calendar, Leaflets, Banner, Sun board with vinyl print, standee, Flex printing for hoarding & fixing IEC Materials, forms etc** having valid GSTIN/PAN of ZSS, Deogarh. The eligible criteria, the terms of reference and the formats for submission of bid as set forth in the Tender document can be downloaded from the website www.deogarh.gov.in. Interested bidders fulfilling the eligibility criteria may submit their proposal(s) with EMD & Tender Documents. The bidders have to submit their proposal(s) at the O/o: The CDM&PHO cum District Mission Director, DHH, Deogarh. Proposal(s) complete in all respect should reach the undersigned on or before 30.06.2026 up to 5.30 pm through speed post/registered post /Courier only and the same will be opened on 01.07.2026 at 03.30 P.M in the office chamber of CDM&PHO in presence of bidders/their authorized representatives. The undersigned reserves the right to reject any or all the tender(s) without assigning any reason thereof.

Sd/-

CDM&PHO cum District Mission Director
NHM, Deogarh

TERMS & CONDITION FOR PRINTING OF MATERIALS

1. Sealed tenders are invited from reputed registered firms/ agencies/ dealers having adequate experience in taking up the works of printing of forms, Booklets, poster, calendar, Leaflets, Banner, Sun board with vinyl print, standee, Flex printing for hoarding & fixing IEC Materials, forms etc. having valid GSTIN/PAN.
2. The tender will be in two parts i.e. **Technical Bid (Cover-A)** and **Price Bid (Cover-B)**. The bidders should submit their **technical** and **price bid separately** in **two envelopes** and these two envelopes should be put into **another cover envelop** super scribed as **“Tender for Supply of IEC Materials in reference to adv. no 1797”**. The Technical & Price Bid envelopes should be clearly marked as Technical Bid & Price Bid on the top of the relevant envelopes. The tenders should be addressed to: **Office of CDM & PHO, Deogarh, District Head Quarter Hospital At: Post-Deogarh District: Deogarh, PIN-768108.**
3. **Holding of Pre-bid Meeting:**

A pre-bid meeting shall be held on 19.06.2026 at 3.30pm for the selection of bidders to undertake the work related to printing of forms, Booklets, poster, calendar, Leaflets, Banner, Sun board with vinyl print, standee, Flex printing for hoarding & fixing IEC Materials, forms etc.

An attendance sheet shall be maintained for all officials and the representative of firms participating in the meeting. Any Doubts, clarification or queries raised by the participating firms during the pre-bid conference shall be addressed and clarified to enable them to submit their technical and financial bid correctly and in accordance with tender conditions. But there will not be change the terms& Conditions.
4. All the payments are to be made through IFMS/PFMS mode to the concerned party.
5. The decision of the Purchase committee is final and reserves all rights to go for quality testing of the goods prior to release of payments.
6. Keeping in view the budget provision the quality may not be compromised.
7. The firms will be empanelled under **Zilla Swasthya Samiti, Deogarh** for future course of action and bidders shall be asked to supply for goods/items/activities in future with the same term & condition beyond the current financial year or till finalization of the fresh tender.
8. Tender must be accompanied by **Rs 5,000/-** Only (Nonrefundable) as processing fees & Security Deposits of **Rs.30,000/-** by way of Demand Draft (Must be submitted), drawn on any Nationalized Bank in favour of **ZSS Miscellaneous Account payable at Deogarh, which shall be refunded to unsuccessful bidder without interest after finalization of contract.**
9. Tenders if not accompanied by Processing fees or Security Deposit will not be considered. Security of unsuccessful tenderer will be returned without interest on finalization of bid. Security of successful tenderer will be retained & will be refunded after three months of completion of the activities.
10. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year should be not be less than Rs.50, 00,000/- (Rupees Fifty lakhs). Documentary evidence in the form of certified Audited balance sheet of relevant periods or a certificate from the Chartered Accountant/Cost Accountant indicating the turnover details for the relevant periods shall be submitted with the documents. In case the date of



constitutions /incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial year after the date of constitutions shall be taken into account for these criteria.

11. Organization will have to submit IT return of last three financial years (i.e. 2022-23, 2023-24&2024-25).In case the date of constitutions /incorporation of the bidder is less than three years old, the IT returns in respect of the completed financial year after the date of constitutions shall be taken into account for these criteria.
12. The quality of the goods/services must be ensured failing which the EMD amount of the concerned bidder shall be forfeited / if payment would not have been released during the course of time then the payments shall be withheld and if any adverse remarks on the quality of the good/services has been reported then either the payment of the same with interest (as per current interest rate of the concerned bank) shall be recovered or in future any proposal/quotation/tender from the said bidder and it's organization shall not be entertained.
13. The bidders/suppliers have to be submitted an undertaking during supply of goods/services regarding the quality of the products on non-judiciary stamp paper worth Rs.20/-.
14. The hoarding will be erected/ mounted as decided by the CDM & PHO at district level and BPHO at Block level.
15. Site selection inside the premises will be done with approval of DPHO at Deogarh Urban level and other places by approval of competent authority.
16. The door delivery/installation of the goods has to be taken care of by the bidders without any extra payments for the same.
17. The prices quoted must be inclusive of all charges & freight if any but exclusive of GST.
Quoted rate should be maximum up to 2 decimals only.
18. The rate will be applicable for purchase of the above-mentioned items for the period of one year.
19. The bidders have to maintain office decorum during the opening and finalization of the tender otherwise the purchase committee will take its own decision as deemed proper initiating from the instant cancellation of the concerned bidder.
20. During opening of tender only bidder himself or his authorized representative will be allowed to remain present. No authorized representative is allowed without proper authorization from bidder.
21. The time line of finalization of tender may vary or extend depending upon the emergency/exigency of demand of the situation if any.
22. Incomplete tender shall be rejected and the undersigned reserves the right to accept or reject any or all the tenders without assigning any reason thereof.
23. All legal disputes are subject to the jurisdiction of Deogarh, Court only.
24. The sealed tenders should reach at O/o CDM&PHO, Deogarh in any working day as per the schedule date and time along with all required documents by Speed post/Regd. post /Courier only by super scribing on the top of the envelop "**TENDER FOR PRINTING OF MATERIALS(IEC)**", Deogarh".
25. The bill shall be processed only against a valid supply order. The L1(lowest) bidder shall not impose any preconditions regarding the fixation of specific quantities or supply commitments outside the scope of the tender. The quantity to be order shall be as per the actual requirement and the successful bidder is bound to supply the ordered quantity accordingly. Failure by L1 bidder to

outside the scope of the tender. The quantity to be order shall be as per the actual requirement and the successful bidder is bound to supply the ordered quantity accordingly. Failure by L1 bidder to comply with the supplies order or refusal to delivery as per the specified requirement shall result in termination of their contract. In such a case order may be placed with the L2 (Second lowest) bidder and L1 bidder will be barred from receiving any further order under this contract.

26. During the entire tender process, up to and including the finalization of the contract, no bidder shall have the right to request or access the bidding documents submitted by other bidders. The Tender Authority shall not be held liable for any inadvertent or unauthorized disclosure of any bidder's documents during the course of the tender process.

27. The firm having valid MSME registration certificate are exempted to deposit EMD. However photocopies of registration certificate and exemption certificate must be submitted along with the technical bid. But after selection the L1 bidder should submit Rs 30,000/- (Rupees thirty thousand only) in shape of demand draft drawn in any Nationalized bank in favour of ZSS Miscellaneous Account payable at Deogarh as SECURITY DEPOSIT.

28. **The organization will have to submit an Affricative on non-judiciary stamp paper worth Rs.20/- with following clauses**

That the organization agrees regarding provisioning /providing of items /IEC/Designs (Soft Copy) within time line in case of Telephonic request by designated Authorities/NHM Programme Manager -if situation so arises and Agency has to nominate a technical expert (Mobile/WhatsApp No) as his representative to accomplish the task within the time line. Work order will follow after telephonic conversation in such cases.



DOCUEMNTS TO BE SUBMITTED FOR PRINTING OF IEC MATERIALS

1. The firm should submit a Security deposit of **Rs.30, 000/-** in shape of DD in favour of ZSS Miscellaneous A/c,DEOGARH, payable at DEOGARH.**ZSS Miscellaneous ACCOUNT payable at Deogarh**
2. The firm should submit Processing fees of **Rs.5,000/-** in shape of DD in favour of ZSS (Non NRHM), DEOGARH **ZSS Miscellaneous ACCOUNT payable at Deogarh**
3. Registration Certificate of the firm/ Agency/ Dealer
4. The firm should be registered under GST.
5. The firm should have PAN.
6. Last three year's Annual Turn Over (i.e.2022-23, 2023-24, and 2024-25) Audited balance sheet of relevant periods or a certificate from the Chartered Accountant /Cost Accountant with Membership No& Income tax return (i.e., i.e.2022-23, 2023-24 and 2024-25).
7. The bidder shall submit copies of Work Orders/Contract Agreements for similar works successfully executed during the Financial Years 2022-23, 2023-24, and 2024-25 under Central Government, State Government, PSU, or other Government Organizations as proof of experience.
8. Undertaking for supply of goods/services as per specification regarding the quality of the products on non-judiciary stamp paper worth Rs.20/-.
9. **The organization will have to submit an affidavit on non-judiciary stamp paper worth Rs.20/- with following clauses**

That the organization agrees regarding provisioning /providing of items /IEC/Designs (Soft Copy) within time line in case of Telephonic request by designated Authorities/NHM Programme Manager -if situation so arises and Agency has to nominate a technical expert (Mobile/WhatsApp No) as his representative to accomplish the task within the time line. Work order will follow after telephonic conversation in such cases

10. The Firm/Agency will have to submit the Affidavit on non-judiciary stamp paper worth Rs.20/- with following clause: -
 - a. I have not been debarred by any Central/Sate Government organization/Bodies for the last 3 years.
 - b. I have not committed any offence under the Prevention of Corruption Act 1988 or
 - c. The authority will have no liability regarding transportation, loading and unloading of material and all the material ordered for shall be delivered at the designated place in good condition. The defective or damaged material if any will be replaced.
 - d. That the firm/agency agrees to abide by all terms & conditions of the tender.
 - e. The firm/agency will quote price exclusive of all taxes.
 - f. The Indian Penal code or any other law for the time being in force, for causing any loss of life or property or causing a threat to public health as part of execution of a public procurement contract.
 - g. Our organization agrees to a bid by all terms & conditions of the Tender.



Section-III**FINANCIAL BID- PRINTING MATERIALS**

Sl No	Name of the Item	Specification	Unit of Measure	Quoted Rate inclusive of all freight & charges but exclusive GST (In Rs.)
1.	Swasthya Kantha Calendar	Paper Size – 75cm X 50cm, Paper quality – 170 GSM Art Paper, Process – Multi colour (4 colour) printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Calendar	
2.	IEC Calendar for School	Size of each sheet of calendar – 91 cm X 58.5 cm, no of sheet in each calendar – 10 sheets, Paper to be used: - 220 GSM Art Paper, Colour :- Multi colour, BINDING: - Each sheet both side Glossy lamination, Top wired with hanger, Calendar is packed with a strong Polythene bag/Envelope size – 25” X 37”	Per Calendar	
3.	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing.	Per Poster	
4.		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing.	Per Poster	
5.		Poster Size:- 44 cm X 56cm, Paper quality :- 90 GSM Art paper, Process :- Multi colour printing.	Per Poster	
6.		Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right	Per Poster	
7.		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster	
8.		Poster Size:- 44 cm X 56cm, Paper quality :- 90 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster	
9.		Poster Size:- 58.5 cm X 91cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing,	Per Poster	
10.		Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolor Single side Printing	Per Leaflet	

11.	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	
12.		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet	
13.		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	
14.		Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet	
15.		Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	
16.		Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet
17.			Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet
18.			Paper size- A4, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet
19.			Paper size- A4, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet
20.	Handout Brochure	Paper size- 15" X 10", Paper quality- 170 GSM Art Paper, Process- Multicolour Both side Printing	Per Brochure	
21.	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder	
22.	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder	
23.		Paper Size- 36 cm X 25.5 cm, Paper quality- 220 GSM Art paper, Multi-colour both side printing	Per Folder	
24.		Paper Size- 36 cm X 25.5 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder	
25.		Paper Size- 28 cm X 14 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder	
26.		Paper Size- 28 cm X 14 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder	
27.		Paper Size- 29.7 cm X 21 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder	
28.		Paper Size- 29.7 cm X 21 cm, Paper quality-	Per Folder	

		170 GSM Art paper, Multi colour both side printing		
29.	IPC Folder	Paper Size- A4, Paper quality- 130 GSM Art paper, Multi colour both side printing, 2 fold	Per Folder	
30.	Family Folder	Paper Size- ¼ Demy, Paper quality-90 GSM Art paper, B/W single side printing	Per Folder	
31.	FAQ	Paper Size- 22 cm X 28 cm, Paper quality-220 GSM Art paper, Multi colour both side printing	Per FAQ	
32.	Patient Treatment & Referral cards at PHC& SC Level	Paper size – 28cmX22cm, Total 6 sheets, Cover page-220 GSM Art paper, Inner page-90 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 25 pages of 14cm X 22 cm booklet.	Per Booklet	
33.	Patient Treatment & Referral cards at PHC & SC Level	Size- Demy ¼, 90 GSM Art paper, Printing process: Multicolour both side printing,	Per page	
34.	Patient Treatment & Referral cards at PHC & SC Level	Size-Half of A4, 90 GSM Art paper, Printing process: Multicolour both side printing	Per page	
35.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 36 Paper: 32 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Bothside Single-Colour Printing 4 pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both Side Multi-Colour Printing Binding: Centre Stitching	Per Booklet	
36.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 20 Paper: 16 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Bothside Single-Colour Printing 4 pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both Side Multi-Colour Printing Binding: Centre Stitching	Per Booklet	
37.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 20 Paper: 18 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Bothside Single-Colour Printing 2pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both Side Multi-Colour Printing Binding: Centre Stitching	Per Booklet	

38.	ASHA Booklet on Screening for Cervical Cancer	Size- Demy ¼, Multi-colour both the side offset printing with laminated	Per page	
39.	ANM Job AIDS- Flash cards for VIA	Size- Demy ¼ ,100 GSM Art paper (Glossy finish), Brightness-80 minimum,	Per card	
40.	ANM Job Aids in odia	Size- Demy 1/2 with one-fold, Multicolor both the side offset printing with laminated	Per page	
41.	ASHA booklet on CBE/SBE	Printing of ASHA booklet: 14 Sheets, Multicolour both the side offset printing with laminated	Per book	
42.	Booklet on mental health awareness for Schools	Size- Demy ¼ Cover page-250 GSM, Art paper, Multi Colour Both Side Print & Glossy Lamination, Inner page-70GSM, Black & White Both side printing Total Pages-136nos (Cover page- 2 pages, Inner page-134), after both side printing resulting to 272pages, Binding- Adhesive Binding	Per book	
43.	Booklet on mental health awareness for CHOs	Size- Demy ¼ Cover page-250 GSM, Art paper, Multi Colour Both side Print & Glossy Lamination, Inner page-70GSM, Black & White Both side printing Total Pages-63nos (Cover page- 2 pages, Inner page-61), after both side printing resulting to 126pages, Binding- Adhesive Binding	Per book	
44.	Booklet	Paper Size-28 cm X 21 cm, Total – 10 sheets multi-colour both side print, Cover page -220 GSM Art paper, inside page – 90 GSM brightening white Maplittho paper, Post Process: - single fold and stapling in the middle of the booklet	Per Booklet	
45.		Paper Size-42 cm X 27 cm, Total – 10 sheets multi-colour both side print, Cover page -220 GSM Art paper, inside page – 90 GSM brightening white Maplittho paper, Post Process: - single fold and stapling in the middle of the booklet	Per Booklet	
46.	NCD/RCH Booklet	No. of Sheets: 30 (15 Sheets marked as Original + 15 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type (Inner Sheets): Single side, Black & White 1st Sheet of the Booklet shall be printed as “Original” and next sheet shall be printed as	Per Booklet	

		<p>“Duplicate” (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet.</p> <p>Paper size: ¼ Demy</p> <p>Paper: Original Sheet (White Colour) — 75 GSM Maplitho, Brightness: 80 (Minimum)</p> <p>Duplicate Sheet (Yellow Colour)- 54 GSM Maplitho</p> <p>Binding Type: Top Pad binding with stapling with hard board on back side.</p> <p>Cover Page: 1 cover page on the front (80 GSM Maplitho)</p> <p>Single sided Black Printing as HBYC Checklist for ASHA</p> <p>Perforation: Perforation at the top of the Pad Binding (in Original sheet of the booklet only)</p>		
47.	Sterilization operation Consent Form/ Booklet	Paper size – 44cmX28cm, Total pages - 4 sheets, Paper quality: 60 GSM Maplitho paper, white bright, Black-White both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 16 pages of 22cm X 28 cm booklet.	Per Booklet	
48.	Booklet	Size-21.6x13. 8, Paper 70 GSM, Black and White, Total no of pages: 32 Cover- 100 GSM	Per Booklet	
49.	Child wise Assessment format (DEIC)	Unit: Booklet Size: A4 Diemy Total no of pages: 32 Paper (all pages): 70 GSM maplitho Paper Brightness: 77 (Minimum) Printing (all pages):Both side, Colour : Black & White Binding: Center stitching with preformation of last page (2 nos of perforation in the last page)	Per Booklet	
50.	ASHA Incentive claim voucher pad for 13 activity	Paper size – A4, Total no of pages – 36 (32 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	
51.	ASHA Incentive claim voucher pad for rest 50 activity	Paper size – A4, Total no of pages – 68 (64 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	
52.	ASHA Grade card (Mo Dakhyata)	Paper size – 1/4 demy, Paper quality – 220 GSM drawing sheet, single side multicolour offset printing	Per Card	

53.	Sector Meeting Register	Paper size – 30cmX20cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, Cover Page- 70 GSM maplitho to be pasted on hard board binding after printing, Inner printing- black & white both side, Cover printing- multicolor offset printing, Post process: - binding with hard card board and cloth	Per Register	
54.	HBNC Format	Size- 1/4 demy, Total pages-12, Paper quality- 80 GSM maplitho, Brightness-77 (minimum), Both side B/W printing, Post Process- Binding center stitching with 2 nos. of perforation in last page	Per Pad	
55.	Cross Checking Format	Size: Legal, Total pages-100, Paper Quality- 70 GSM, Printing- Single side B/W paper binding	Per Pad	
56.	NLEP Format	Size: A4, Total pages-30, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad	
57.		Size: A4, Total pages-80, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad	
58.		Size: A4, Total pages-100, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad	
59.	Hand Book for vaccine & cold chain handlers	Cover Page-250 GSM Art paper & Inner page- 170 GSM Art paper, Paper size 28 cm X 21.5 cm, Total sheet – 120 sheet, Multi colour printing both side, Post Process- Binding	Per Book	
60.	SNCU Docket	Paper size – 30.5 cm X 48 cm, Paper quality – 220 GSM, Single fold with inside pocketing, Pocket size – 11 cm X 25 cm in 220 GSM paper, Printing Process – Multi colour single side print on pocket & docket.	Per Docket	
61.	Printing of Forms Black & White	Paper size- A4, Quality -70 GSM, Printing- Single side	Per Sheet	
62.		Paper size- A4, Quality -70 GSM, Printing- Both side	Per Sheet	
63.		Paper size- A3, Quality -70 GSM, Printing- Single side	Per Sheet	
64.		Paper size- A3, Quality -70 GSM, Printing- Both side	Per Sheet	
65.		Paper size- A2, Quality -70 GSM, Printing- Single side	Per Sheet	
66.		Paper size- A2, Quality -70 GSM, Printing- Both side	Per Sheet	
67.		Paper size- Legal- FS, Quality -70 GSM, Printing- Single side	Per Sheet	
68.		Paper size- Legal- FS, Quality -70 GSM, Printing- Both side	Per Sheet	
69.	Printing of Forms	Paper size- A4, Quality -130 GSM, Printing-	Per Sheet	

	Multi colour	Single side		
70.		Paper size- A4, Quality -130 GSM, Printing-Both side	Per Sheet	
71.		Paper size- A3, Quality -130 GSM, Printing-Single side	Per Sheet	
72.		Paper size- A3, Quality -130 GSM, Printing-Both side	Per Sheet	
73.		Paper size- A2, Quality -130 GSM, Printing-Single side	Per Sheet	
74.		Paper size- A2, Quality -130 GSM, Printing-Both side	Per Sheet	
75.		Paper size- Legal- FS, Quality -70 GSM, Printing- Single side	Per Sheet	
76.	Report Pad	Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
77.		Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
78.		Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
79.		Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
80.		Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
81.		Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
82.		Report Pad	Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad
83.		Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
84.		Paper size – FS Ledger paper, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark,	Per Pad	

		Top cover – 220 GSM printed & bottom card board.		
85.		Paper size – 32 x 20 cm, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
86.	OPD Register/IPD Register	Paper size – A3, Paper quality – 80 GSM, 200 Sheet, both side B/W printing, Post Process – Left side Thread stitching & binding with 170 GSM hard board with full cloth	Per Register	
87.	Labour Room Register	Paper size – A3, Paper quality – 80 GSM, 200 Sheet, both side B/W printing, Post Process – Left side Thread stitching & binding with 170 GSM hard board with full cloth	Per Register	
88.	Malaria Register	Paper size – A3, Paper quality – 80 GSM, 100 Pages, Single side B/W printing, Post Process – Left side register binding	Per Register	
89.	LQAS Booklet	Size: A4, Total pages- 16 (12 inner page + 4 cover page), Paper Quality- 70 GSM (Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Zoo stitching	Per Booklet	
90.	Patient Referral cards at PHC & SC Level	Unit- Book let, no of sheets: 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing side- Black, one sheet of booklet shall be printed as “Original” and the next sheet shall be printed as “Duplicate” (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper Size:- 1/4 demy, Paper – Original Sheet- 80 GSM Maplitho, Brightness- 80 Minimum, Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho), Binding Type- Top pad binding with stapling with 1/2 pound hard board on the back side, Cover page- 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC/Sub-Centre) Perforation: Perforation at the top of the Pad Binding (In original sheet of the booklet only)	Per Booklet	
91.		Unit : Flip Book , Size – 21cm X 29.5cm Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2	Per Book	



	Flip Book	no'sconnected with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.		
92.		Unit : Flip Book , Size – 15cm X 21cm, Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book	
93.	Flip Book	Size: 12" x 8" Total No of Flip Sheets: 14 Sheets Paper (Flip Sheets): 300 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing (Flip Sheets): Multi Colour both side offset printing Lamination: Both side lamination of the Flip Sheets Binding: Wiro Top Binding with 20 mm Wiro Flip Stand Cover: Flip Stand Cover (1 ½ Pound Mill Board: 2 Nos Connected with each other with base having folding arrangement for hand held as well as table top position) having white Art Paper [130 GSM, Brightness: 80 (min.)] pasting with Wiro binding	Per Book	
94.	Flip Book	Size: 12" x 8" Total No of Flip Sheets: 25 Sheets Paper (Flip Sheets): 300 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing (Flip Sheets): Multi Colour both side offset printing Lamination: Both side lamination of the Flip Sheets Binding: Wiro Top Binding with 20 mm Wiro Flip Stand Cover: Flip Stand Cover (1 ½ Pound Mill Board: 2 Nos Connected with	Per Book	

		each other with base having folding arrangement for hand held as well as table top position) having white Art Paper [130 GSM, Brightness: 80 (min.)] pasting with Wiro binding		
95.	NCD Drugs Paper Pouch	Unit :- Envelope, Size :- 4.5" X 9", Paper quality- 90 GSM Maplitho Paper, Brightness :- 77 (Minimum), Multi colour Printing	Per Pouch	
96.	Case Record & Information Sheet for NTCP	Unit - Booklet, Size - 1/4 Demy, Total No. of Pages: - 12 (Inner-8, Cover-4), Paper Quality: - 8 pages- 80 GSM Maplitho Paper, Brightness- 77 (Minimum) 4 pages – 90 GSM Maplitho Paper, Brightness- 77 (Minimum). Printing :- 8 pages- Both side Single Colour Printing & 4 pages – Single side Multicolour Printing, Binding- center stitching, Perforation- Perforation at middle of 9 th page and side with border at 11 th page (in 90 GSM Maplitho paper)	Per Booklet	
97.	Wall Hanging Calendar	Paper Size – 30 cm X 45 cm, Paper quality – 170 GSM Art paper, Process – Multi colour offset both side printing, Post Process: - Binding- Wire-O binding including paper, Total 8 pages per calendar.	Per Calendar	
98.	Glow Sign Board	Material – Star back lit Flex, Multi-colour printing & fixing on the Iron frame Box – 18 gauge GI sheet, Back Lid print including electrical quality lighting	Per Square Feet	
99.	Carbonized Prescription Pad	Specifications of prescription pad (without carbon paper) Single side :- 15 cm X 21 cm (15refera). Each set containing two sheets – first sheet of self-carbon material of 80 GSM basis weight (white) suitable for writing a second sheet of self-carbon writing & printing paper 60 GSM Maplitho (yellow), which should carry the impression of writing on the first sheet. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sets with perforations/adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board (not less than 300 GSM) of the same size at the pad. The thick paper board shall be used for placing between the prescriptions sets so that while writing a prescription on one set the impression does not go into the next set.	Per Pad	



100.	Lab Reporting Pad	Paper Size: - A4, the paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sheets with perforations/ adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board on face & bottom end (Not less than 300 GSM) of the same size.	Per Pad	
101.	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 10-inch X 12-inch, Paper quality-brightened paper of 130 GSM	Per Envelope	
102.	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 12-inch X 15-inch, Paper quality-brightened paper of 130 GSM	Per Envelope	
103.	Colour Envelope	Size: 15" x 12", Paper: 80 GSM	Per 100 Envelope	
104.		Size: 12" x 12", Paper: 80 GSM	Per 100 Envelope	
105.		Size: 10" x 8", Paper: 80 GSM	Per 100 Envelope	
106.		Size: 6.5" x 8.5", Paper: 80 GSM	Per 100 Envelope	
107.		Size: 12" x 10", Paper: 80 GSM	Per 100 Envelope	
108.		Size – 11 cm X 23 cm, Paper quality – 80 GSM	Per 100 Envelope	
109.	White Envelope	Size – 11 cm X 23 cm, Paper quality – 80 GSM	Per 100 Envelope	
110.	Printed Medicine Pouch/ Envelope	Multi-colour printed medicine Pouch/Envelope for dispensing medicines, Size 10 cm X 18 cm, Paper quality-70 GSM	Per Pouch	
111.	Printed Medicine Pouch/ Envelope	Single colour printed medicine Pouch/Envelope for dispensing medicines, Size 10" X 4", Paper quality-90 GSM	Per Pouch	
112.	Patient File	Open Size – 56 cm X 35 cm, Close size – 28 cm X 35 cm, Single fold, Printable area – front page single side. Paper quality -170 GSM brightening yellow colour paper, Post Process: i-led punching at the top left corner of the file	Per File	
113.	Office Folder File	File size: - 55 cm X 35 cm, Paper quality – 400 GSM laminated, single side print, Inner side cloth patching, Post Process: -2-fold, 1 st fold at 25 cm from left, 2 nd fold 5 cm from right, iled punching at the top left corner of the folder	Per File	
114.	Paper Sticker	Sticker size – 14 cm X 22cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	
115.		Sticker size – 28 cm X 44cm, Paper quality – 90 GSM Sticker Paper with multi-colour	Per Sticker	

		printing.		
116.		Sticker size – 44 cm X 56 cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	
117.	Vinyl Sticker	Eco solvent vinyl sticker 130 GSM	Per Square Feet	
118.	Radium Sticker	Radium sticker 250 GSM	Per Square Feet	
119.	Exhibit/Standee	Multi-colour flex printing and pasting in 1 inch iron square bar frame with supporting bar and stand.	Per Square Feet	
120.	Dynamic Steel/ Aluminium frame wide base Standee	Size: 6ft X 3ft Frame: Aluminium frame with wide base (reusable) Multi-Colour fabric media printing with mounting	Per standee	
121.	Printing of Flex Banner	Flex banner printing, Quality: -250 GSM & four punch holes in each corner of the banner	Per Square Feet	
122.	Printing of Fabric Banner	Fabric banner printing, Quality: -250 GSM & four punch holes in each corner of the banner	Per Square Feet	
123.	Change of Flex in Hoarding	Multi-colour CMYK (4 colour) flex printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet	
124.	Change of Fabric Cloth in Hoarding	Multi-colour CMYK (4 colour) fabric cloth printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet	
125.	Wall Painting at Village & Health Institutions	Multi-colour wall painting to be done after double coating of good quality white enamel paint over wall there after designing with Art work and letter (Odia & English). Paint of reputed manufacturer to be used.	Per Square Feet	
126.	Branding & Mounting of IEC materials at Health Institutions	Materials to be used: - 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Deogarh District (Including fitting charges)	Per Square Feet	
127.	Sun Board	Sun board vinyl pasted exhibits, 6mm thickness sun board & multi-color printing, Eco solvent vinyl printing & pasting with 4 color processing	Per Square Feet	
128.		Sun board vinyl pasted exhibits, 3mm thickness sun board & multi-color printing, Eco solvent vinyl printing & pasting with 4 color processing	Per Square Feet	
129.	Acrylic Signage	Base Sheet -4 mm thickness acrylic sheet Printing Process – Radium Stickers on board	Per Square Feet	
130.		Base sheet: imported acrylic sheet size (3x2) ft.& 4mm thickness, Topping sheet: imported acrylic sheet size (3x2) ft.& 3 mm thickness,	Per Signage	

		Fitting type: - wall mount by stainless steel stud (all 4 corners)	
131.		Base Sheet -4 mm thickness acrylic sheet Printing Process – Eco solvent Vinyl Sticker on board	Per Square Feet
132.	White Board	White Board with aluminum frame, best quality white surface material to be used for training purpose	Per Square Feet
133.		White Board with aluminum frame printed with Eco Solvent Vinyl sticker, best quality white surface material to be used	Per Square Feet
134.	Directional Steel Signage Double Stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 11 ft. height with top cap – 2 nos Display area: 4 ft. x 3 ft. in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radius stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft., Structure of hoarding will be of 5 feet height from ground level.	Per Piece
135.	Directional Steel Signage Single Stand	Material to be used: -JOIST: -2 inches' diameter round/square steel pipe of size – 8 ft. height with top cap – 1 no. Display area: 1.5 ft. x 2 ft. in 1-inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radius stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft., Structure of hoarding will be of 4 feet height from ground level.	Per Piece
136.	CANOPY/KIOS K	Canopy size – 6ft X 6 ft. X 7 ft. size including supply of Fabric Banner for 4 sides, iron frame with fitting.	Per Canopy
137.	Erection of Hoarding at strategic locations in the District & Blocks (Including all cost of Installation)	<u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 16 ft. X 8 ft., Good Quality of surface angle frame to be used. <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1 foot above the ground. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by 	Per Hoarding

	<p>iron pipes & GI Wire</p> <ul style="list-style-type: none"> ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. ● The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. 		
138.	<p>Erection of Hoarding at strategic locations in the District & Blocks (Including all cost of Installation)</p> <p><u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 20 ft. X 10 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1 foot above the ground.</p> <ul style="list-style-type: none"> ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. ● The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. 	Per Hoarding	
139.	<p><u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 15 ft. X 30 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1 foot above the ground.</p> <ul style="list-style-type: none"> ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display 	Per Hoarding	

		<p>with digital multicolour printing on hoarding</p> <ul style="list-style-type: none"> ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. ● The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. 		
140.	<p>Erection of Hoarding at strategic locations in the District & Block (Including all cost of Installation)</p>	<p><u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 12 ft. X 15 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1foot above the ground.</p> <ul style="list-style-type: none"> ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. ● The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. 	Per Hoarding	
141.		<p><u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 10 ft. X 6 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1foot above the ground.</p> <ul style="list-style-type: none"> ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display 	Per Hoarding	

		<p>with digital multicolour printing on hoarding</p> <ul style="list-style-type: none"> ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. ● The hoarding should cover all the cost & one-year annual maintenance cost (AMC) etc. 	
142.	Erection of Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<p><u>Specification & Structure</u></p> <p>Size of the Display area in hoarding – 6 ft. X 3 ft. Display material – Preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft. L Iron angle (2 inches L iron angle should be used)</p> <ul style="list-style-type: none"> ● Base (inside ground) 2 feet inside cement concrete ● Above ground (ground to top) – 8 ft. ● Length – 6 ft. iron angle (2 inches L Iron angle should be used) ● Mid Joist Bar to support display material – 3 ft. L iron angle (2-inch L iron angle should be used) 	Per Hoarding
143.		<p><u>Specification & Structure</u></p> <p>Size of Display area in the hoarding 4ft X 3 ft. Display material – 21 preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft. L Iron angle (2" L Iron angle should be used)</p> <ul style="list-style-type: none"> ● Base (Inside ground) -2 ft. inside cement concrete ● Above Ground (ground to top) 8 ft. ● Length – 4 ft. L iron angle (2" L Iron angle should be used) ● Mid Joist bar to support display material – 3 ft. L Iron angle (2" L Iron angle should be used) 	Per Hoarding
144.	Emergency LED sign board	Material – Acrylic, designed type customized, Voltage-250 V, Frequency- 50 Hz, Installation wall mounting, Multi colour letter, at least clear visibility from 200 meters, Water proof, Maintenance warranty- 2 years.	Per sq. ft.

145.	Bill board	Size: 10ft x 8ft, Frame: Iron Angel	Per Bill Board	
146.	Room Signage	P-Shape, wall hanging signage, signage replaceable when needed, Material to be used – 1-inch Steel square bar, display material: - 4 mm Acrylic sheet inside the frame with radium stickering both side. Display area size – 18" X 9"	Per Piece	
147.	Display Board	Size-3' X 2', 20 gauze square bar, cotton fabric banner pasting with fitting.	Per Piece	
148.	Welcome Board of MAS	MAS Welcome Board: 2 ft. X 1 ft. size Printed 1mm thick tin sheet or 1 mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1"x1" L angle MS rod fixed with 2 legs 2"x2" L angle MS rod of height 4.5 ft out of which 1 ft to be inside ground with concrete reinforcements. All fixing of the display board should be done by applying welding for strength and longevity.	Per Piece	
149.	DAMaN Register	10 pages both side with 300 GSM cover, A3 Size	Per Register	
150.	M/M1/M2/M3/M4/SSLR/SSMR (MALARIA) register/ DPMR Registers/Disability Register/Reaction Register/Village Survey Register/Suspect Register (NLEP)	Unit- 100 pages book, Size- A3, Binding- Both sides Hard Board Binding, Printing- Single side Print, Color- Black & White, Paper: 80 GSM	Per Register	
151.	Family Register (Fileria)	Unit- 20 pages book, Size- A5, Binding- Both sides thick Binding, Printing- both side Print, Color- Black & White, Paper: 80 GSM, Zoo stich	Per Register	
152.	NVBDCP stock register	Pages 50, Register binding ,70GSM, both side print B/W	Per Register	
153.	Pocket IEC Manual (Flyer)	A5 size, 220 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Folded.	Per Manual	
154.	Flipbook for MAS, ASHA & Other FLWs	Size: 30 cm X 20 cm Pages: 50 pages (25 sheets) (Tentative) Paper: 300 GSM Art paper Printing: Multi colour Binding: - Wire-O binding - Inner pages both side glossy lamination Table Stand: 28 no. mill board with 130 GSM	Per Flipbook	

		art paper cover pasting		
155.	ASHA Module Book for Elderly Care	Size: A4, Total pages- 40 (36 inner page + 4 cover page), Paper Quality- 70 GSM(Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Stapling	Per Book	
156.	ASHA Module Book for Palliative Care	Size: A4, Total pages- 64 (60 inner page + 4 cover page), Paper Quality- 70 GSM(Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Stapling	Per Book	
157.	Register	Paper size – 30cmX20cm, Total pages- 320 (316 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolor printing, Post process: - binding with hard card board and cloth	Per Register	
158.	Register	Paper size – 30cmX20cm, Total pages- 480 (476 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolor printing, Post process: - binding with hard card board and cloth	Per Register	
159.	Retro signage for UHND & RI Points	Board Size:1.5ft height x1ft Width Providing, fitting, fixing up signages using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates.	Per Sq. ft.	
160.	Register	Paper size – 30cmX20cm, Total pages- 150 (146 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolor printing, Post process: - binding with hard card board and cloth	Per Register	
161.		Paper size – 30cmX20cm, Total pages- 200 (196 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolour printing, Post process: - binding with hard card board and cloth	Per Register	
162.		Paper size – 32cmX20cm, Inner Page-100 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white both side, Post process: - binding with hard card board and	Per Register	

		cloth		
163.	Register	Paper size – A3, Inner Page-100 sheets, Paper quality – Inner page – 95 GSM map litho, inner printing- black & white both side, Post process: - binding with hard card board and binding gutter on left side	Per Register	
164.		Paper size – A4, Inner Page-200 sheets, Paper quality – Inner page – 95 GSM map litho, inner printing- black & white both side, Post process: - binding with hard card board and binding gutter on top, perfect sewing	Per Register	
165.		Paper size – 20cmX30cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, Cover page-70 GSM map litho, inner printing- black & white both side, Cover printing- multicolor, Postprocess: - front & back binding with thick hard card board and cloth, zoo stitching at left side of the register	Per Register	
166.		Paper size – A3, Inner Page-100 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white single side, Cover printing- multicolor, Postprocess: - both side binding with thick hard card board	Per Register	
167.		Paper size – A5, Inner Page-20 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white both side, Cover printing- multicolor, Postprocess: - both side binding with thick hard card board	Per Register	
168.	Certificate	Paper size-A4, Paper quality 220 GSM, Multi colour printing	Per Certificate	
169.	Stickering	Radium Stickering	Per sq. ft.	
170.		Vinyl Stickering	Per sq. ft.	
171.	Receipt Book	22 cm X 14 cm, Duplicate with Receipt Number and Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book	
172.	Challan Book	19 cm X 22 cm, Duplicate with Serial Number and book number, Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book	
173.	HBYC Pad	Paper size – A4, Total no of pages – 34 (15 inner pages original (white paper) and 15 inner pages' duplicate (yellow paper) + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	
174.	CBAC Form	Paper size- A4, Quality -80 GSM, Printing- Both side B/W, 100 pages top pad binding	Per Pad	
175.	EPS Training	Paper size – 32 cm X 25 cm, Total no of	Per book	

176.	Module Book	pages – 54 (50 inner pages (Black & white both side printing) + 4 cover pages (Multi colour) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding		
		Paper size – 32 cm X 25 cm, Total no of pages – 74 (70 inner pages (Black & white both side printing) + 4 cover pages (Multi colour) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per book	
177.	Album of RBSK	Success Story (Children under RBSK)- Multi Colour Printing on photo paper, Size-A4 size	Per Copy	
178.	Patient In door & Outdoor Register	Paper size - 55 cm X 39.5 cm, Both side landscape printing, Paper quality - 40- 50 GSM, PostProcess: - Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the register.	Per register	
179.	Invitation Card	Paper size - 14 cm X 22 cm, Paper quality - 70 GSM Art paper, Both side multi-colour printing	Per card	
180.	Identity Card	10 cm X 6 cm, Multi colour printing	Per Card	
181.	Badge	4 cm diameter (220 GSM Art paper) & outer ring with Ribbon	Per Badge	
182.	ABHA Card	12 cm X 9 cm (220 GSM Art Paper)	Per card	
183.	Pushing Card	Size- 12cm X 9cm, Type-300 GSM Art paper, Single side with multi-colour printing	Per card	
184.		Size- 12cm X 9cm, Type-300 GSM Art paper, Single side with B/W printing	Per card	
185.	Health Card	Size: 1/4 Demy, Type- 70 GSM, Single Side with B/W printing	Per card	
186.	Flash Card	Size- 21cm X 28cm, 280GSM multi-colour printing	Per card	
187.	Individual Health Cards (NCD)	Size: Demy 1/4, 70 GSM, Landscape Mode, Single Colour, Normal Paper Single Side Printing in Odia Language	Per card	
188.	NTEP TB Treatment ID Card	Size: A5 Type of paper: 300 GSM Printing: Black and white; both side; portrait	Per card	
189.	NTEP request form for examination of Biological Specimen for TB	Size: A4 Unit: 100 pages Pad Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad	
190.	TB Treatment card	Size: A4, Type: 300 GSM, Both side with B/W printing	Per card	
191.	NTEP PMDT Treatment Card	Size: A3 Type of paper: 300 GSM Paper Printing: Black and white; single side; landscape Binding: Centre folding with binding & Belt	Per card	
192.	On site check list form (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad	

193.	PHI referral form (100 pages)	Size: A4 size,Landscape Type of paper: 50GSM Printing: Black and white; single side; landscape Two Perforated Line (vertical)	Per Pad	
194.	ID Card for TB Champion	Size- 3" X 2", Plastic Card with quality lace, Single side with multi-colour printing	Per card	
195.	TB Notification Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
196.	NTEP PMDT Treatment Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
197.	TB laboratory register (200 pages)	Size: A4 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM maplitho paper Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on top; Perfect sewn No. of Pages: 151 sheets (with number)	Per Register	
198.	NTEP laboratory register for Culture, CBNAAT & DST Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the	Per Register	

		right-hand side No. of Pages: 101 sheets (with number)		
199.	DRTB counseling register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
200.	Stock report for stocks & Indenting of PMDT at TU to be submitted to DDS for monthly basis (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Register	
201.	Drug stock register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
202.	Lab stock register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
203.	Chemist notification format / TB notification reporting format	Size: A4 size, Landscape Type of paper: 50GSM Printing: Black and white; single side;	Per Pad	



	for medical practitioners (100 pages)	landscape Two Perforated Line (vertical)		
204.	Microscope log book(10B) / Annexure-B/ TB-HIV & DM monthly reporting format (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad	
205.	Intimation Slip	Size: Post Card, Type: 54 GSM, Single side with B/W printing, 100 pages book with pad binding	Per Pad	
206.	Referral Slip for ASHA	Size: A4, Type: 70GSM, Single Side with B/W printing landscape two perforated line (vertical), 100 pages book with pad binding	Per Pad	
207.	Follow-up Slip for ASHA	Size: A4, Type: 70GSM, Single Side with B/W printing, 100 pages book with pad binding	Per Pad	
208.	Gentamicin Treatment Card	Size: 17 cm x 28 cm, Printing Type: Both sided multi-colour offset printing, Paper Quality: 250 GSM Art Paper (Matt Finish), Brightness: 80 (Min.)	Per Card	
209.	Child Death Review Form	Form 1 Unit: Booklet, Size: ¼ Demy, No. of sheets: 50, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: Top Pad binding with hard straw board (2 mm) on back side	Per Booklet	
210.		Form 2 (1st Brief Investigation Report for ANMs) Unit: Forms, Size: ¼ Demy, Pages: 4, Paper: 80 GSM, Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: One folding at the middle	Per Booklet	
211.		Form 3a (Verbal Autopsy Form: Neonatal Deaths) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)	Per Booklet	
212.		Form 3b (Verbal Autopsy Form: Post Neonatal Deaths) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)	Per Booklet	
213.		Form 3c (Social Autopsy Form) Unit: Forms, Size: ¼ Demy, Pages: 4 Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: One folding at the middle	Per Booklet	

214.		<p>Form 4a (Facility based Neonatal Death Review Form) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing: Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)</p>	Per Booklet	
215.		<p>Form 4b (Facility based Post Neonatal Death Review Form) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing: Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)</p>	Per Booklet	
216.	Delivery Case Sheet	<p>Paper Size- 44cm X 28cm, Total Pages-14 sheets, Paper Quality- 60GSM Maplitho Paper bright white, Printing- B&W both side, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 27 pages of 22 cm X 28cm Booklet</p>	Per Booklet	
217.	NBSU Case Sheet docket folder Set	<p>Each NBSU case sheet docket folder Set shall contain the following five items: NBSU Docket Folder with Pocket Unit: 1 No. Size: 9.6" x 12" (Folding size) Pages: 4 + inside 1 Pocket Paper: 350 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing: Multi Colour offset printing [(Front & Back of the folder) and on Pocket [Folding &Pasting: One Pocket (12 x 25 cm.) pasting to contain 9-10 nos. Sheets Discharge Card Unit: 1 No. Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.) Printing: Both side Multi Colour offset printing Folding: One-Fold Neonatal Case Record Sheet Unit: 1 No. Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.) Printing: Both side Multi Colour offset printing Folding: One-Fold Treatment Continuation & clinical & condition record Sheet</p>	Per Docket Folder	



		Unit: 3 No. Size: 8.5" x 11" Pages: 2 Pages back-to-back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing Monitoring & Nurses Order Sheet Unit: 1 No. Size: 8.5" x 11" Pages: 2 Pages back-to-back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing		
218.	HMIS Format	Paper size-A4, 100 sheets (single Size printing, 70 GSM white maplitho paper, side pad binding printed cover page of 70 GSM Reporting page with carbon copy in each booklet 13-page reporting 13 page carbonated per institution with dotted line- Sub-centre AAM) (1 No. of booklet for 12 months)	Per Booklet	
219.		Paper size-A4, 100 sheets (single Size printing, 70 GSM white maplitho paper, side pad binding printed cover page of 70 GSM Reporting page with carbon copy in each booklet (20-page reporting 20 page carbonated per institution with dotted line- HWC PHC) (1 No. of booklet for 12 months)	Per Booklet	
220.		Paper size-A4, 100 sheets (single Size printing, 70 GSM white maplitho paper, side pad binding printed cover page of 70 GSM Reporting page with carbon copy in each booklet (21-page reporting 21 page carbonated per institution with dotted line- CHC/SDH/DHH) (1 No. of booklet for 12 months)	Per Booklet	

Place :

Date :

Seal & Signature of authorized Signatory

Mobile No:



Section-IV

Check List (Technical Proposal) for printing of material

Please check whether following have been enclosed in the respective cover, namely, Technical Proposal: *(please arrange the documents serially in the following order & mention the page no of the tender in box. Without numbering of documents or not mentioning the page nos. in the check list, Tender shall be liable to be rejected.*

<u>Sl No</u>	Particulars	Submission status (Yes/No)	Page no.	
			From	To
<u>1</u>	Processing Fees (DD of Rs. 5,000/-)			
<u>2</u>	Security Deposits (DD of Rs 30,000)			
<u>3</u>	Copy of the Registration Certificate of the Firm/Company/Agency			
<u>4</u>	Copy of PAN			
<u>5</u>	Copy of the GST registration certificate			
<u>6</u>	Photocopies of (i.e.2022-23, 2023-24, 2024-25) highlighting the turnover in support of that duly certified by Chartered Accountant /Cost Accountant/ Certified Audited balance sheet .As per Section -VI			
<u>7</u>	Photocopies of Income Tax Return of each year i.e. (i.e.2022-23, 2023-24, 2024-25)			
<u>8</u>	The bidder shall submit copies of Work Orders/Contract Agreements Certificates for similar works successfully executed during the Financial Years 2022-23, 2023-24, and 2024-25 under Central Government, State Government, PSU, or other Government Organizations as proof of experience.			
<u>9</u>	Affidavit in reference to section II of point No 09 from notary in non-judicial stamp paper of Rs.20/-.			
<u>10</u>	Undertaking for supply of goods/services as per specification regarding the quality of the products on non-judiciary stamp paper worth Rs.20/-.			
<u>11</u>	The organization will have to submit an Affi dative as per the clause No 29 of Terms& Conditions on non-judiciary stamp paper worth Rs.20/-			

Date:

Place:

Signature and seal of the authorized signatory
(Company Seal)

Section-V

PROFILE OF THE AGENCY

Name of the Agency	
Office Address	
Status of the Agency	
Name of the authorized signatory & specimen of the authorized signatory	
Telephone Nos.:	Landline: - Mobile :-
Email id	
Account No of the Firm/Bidder/Agencies	

Date:

Place:

Signature and seal of the authorized signatory

(Company Seal)



Section VI

(to be furnished in the technical proposal)

ANNUAL AVERAGE TURN OVER STATEMENT

(To be furnished in the letter head of the Chartered Accountant)

The Annual Turnover of M/s _____
for the last 3 financial years are given below and certified that the statement is true and correct.

Sl.	Financial Year	Turnover in Rs.
1	2022-23	
2	2023-24	
3	2024-2025	
Average Annual Turnover in Rs.		

Date:

Signature of Chartered Accountant

Place:

(Name in Capital)

Seal

Membership No.:

UDIN:

Note:

- 1) To be issued in the **letter head** of the Chartered Accountant with membership No. & UDIN.



HOARDING STRUCTURE SPECIFICATION (TYPE-1):

